



Supporting Information

for *Adv. Sci.*, DOI 10.1002/adv.202200898

3D Printing Ultraflexible Magnetic Actuators via Screw Extrusion Method

*Xufeng Cao, Shouhu Xuan**, Yinduan Gao, Congcong Lou, Huaxia Deng and Xinglong Gong*

Supporting Information**3D Printing Ultra-flexible Magnetic Actuators *via* Screw Extrusion Method**

Xufeng Cao, Shouhu Xuan, Yinduan Gao, Congcong Lou, Huaxia Deng, Xinglong Gong**

CAS Key Laboratory of Mechanical Behavior and Design of Materials, Department of Modern Mechanics, University of Science and Technology of China, Hefei 230027, China
E-mail: gongxl@ustc.edu.cn (XL Gong); xuansh@ustc.edu.cn (SH Xuan).


Supplementary Figures

Figure S1. Cycle test of the contraction deformation performance.




Figure S2. (a-c) Digital images of the deformation process with the air leakage. (Scale bar: 10 mm)




Figure S3. Snapshots of sequential grasping and releasing the table tennis with sucker actuator. (Scale bar: 10 mm)




Figure S4. (a) Digital images of grasping the glass slides (Scale bar: 10 mm). (b) The weight versus the number of glass slides.